



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	APPLICATION NO. FILING DATE		FIRST NAMED INVENT	TOR ATTOR	NEY DOCKET NO.	CONFIRMATION NO.	
09/762,052	()2/01/2001	Veijo Vaisanen	I	PM 276618	7542	
909	7590	06/01/2004			EXAMINER		
PILLSBUF P.O. BOX 1		HROP, LLP			D AGOSTA, STEPHEN M		
MCLEAN,		2.	***		ART UNIT	PAPER NUMBER	
					2683	Ø.	
				DATE M	DATE MAILED: 06/01/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.



	Application No.	Applicant(s)	
	09/762,052	VAISANEN, VEIJO	
Office Action Summary	Examiner	Art Unit	
	Stephen M. D'Agosta	2683	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with	the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period of the period for reply within the set or extended period for reply will, by statute any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a rep y within the statutory minimum of thirty will apply and will expire SIX (6) MONTI to cause the application to become ABA	ly be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).	
Status			
 1) Responsive to communication(s) filed on 17 M 2a) This action is FINAL. 2b) This 3) Since this application is in condition for allowed closed in accordance with the practice under E 	action is non-final. nce except for formal matte		
Disposition of Claims			
4) ☐ Claim(s) 1-24 is/are pending in the application. 4a) Of the above claim(s) is/are withdray. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-24 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to b drawing(s) be held in abeyand tion is required if the drawing(s	e. See 37 CFR 1.85(a).) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	es have been received. es have been received in Ap rity documents have been r u (PCT Rule 17.2(a)).	plication No eceived in this National Stage	
Attachment(s)	-		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 		Mail Date properties the common of	

Page 2

Application/Control Number: 09/762,052

Art Unit: 2683

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to claims 1-24 have been considered but are moot in view of the new ground(s) of rejection:

- 1. The USC rejections have been overcome.
- 2. The newly added Abstract is entered as well.
- 3. The applicant argues that the prior art cited does not teach all the features of the claims. The examiner disagrees the rejection shows each limitation and column/line where the art teaches said limitation. Specifically, the examiner interprets Leitch as teaching "performing channel configuration", "selecting a logical control channel to be tested" and "selecting next control channel until all have been tested" (see page 9) since Leitch discloses setting up a link in a cellular system by determining a transmitter ID and a signal quality of a strongest monitoring channel in a set of N monitoring channels whereby a message/report is sent that includes the strongest monitoring channels (abstract). The examiner interprets the use of this report as reading on the applicant's claims since one skilled would use this message/report to provide a cellular RF link for a user requiring service. The examiner also interprets Leitch as monitoring any/all channels in the area of the user which would encompass any BTS local to said user and hence includes micro/pico cells.
- 4. The applicant argues that Ostrup does not remedy Leitch. The examiner disagrees and notes that Leitch can be used in any cellular system (ie. micro/pico). Ostrup teaches a "hierarchy" of resources (eg. hierarchy of cells) and interprets them as being micro/pico cells and thus reads on the applicant's claims.
- 5. The applicant argues that Plaschke does not remedy Leitch. The examiner disagrees Firstly, the examiner had USC 112 issues with claims 10 and 22 whereby the applicant changed the word "building" to "configuring". Nonetheless, the claim(s) recite channel configuration of the cell network is performed when building/configuring

Art Unit: 2683

the micro/pico cell network and Plaschke discloses dynamic channel allocation which reads on the claim.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-9, 12-21 and 24 rejected under 35 U.S.C. 103(a) as being unpatentable over Leitch et al. US6,163,698 and further in view of Ostrup et al. US 6,205,336.

As per **claim 1**, Leitch teaches a method for performing channel configuration in a <u>micro or pico</u> cellular network for use located in the operating area of a macro cell network (figure 1), <u>comprising:</u>

Selecting as the channel to be tested a logical control channel to be transmitted on the physical channel of a cell in the cell network

Directing base station (BTS) of cell network of micro/pico cell network and terminals within coverage area of the BTS's of the micro/pico cell network to use the channel to be tested

Establishing by remote control a connection between two or more terminals through BTS's serving the terminals on the channel being tested and making a measurement report on the quality of the connection

Selecting as the channel to be tested the next control channel of a cell of the cell network until the control channels of all desired macro cells have been tested

Determining on the basis of the measurement reports the channels whose use guarantees the best range in the <u>micro/pico</u> cell radio network for use (See Abstract for all above)

Art Unit: 2683

But is silent on use and macro/micro/pico cell networks.

Ostrup teaches a hierarchy from high-level (eg. umbrella) to low-level (eg. pico cell) coverage whereby a mobile will request service starting at the lowest level and progresses upwards until service is found (abstract, figure 1 and C2, L51-65). This provides means for supporting office/micro cells under an umbrella/macro cell. Hence, one skilled in the art would use this hierarchy for test purposes as taught by Leitch to ensure that any/all BTS channels in the area of the office are tested and can support voice calls.

With further regard to claim 13, Leitch teaches a controller/BSC/MSC (figure 1, #102)

It would have been obvious to one skilled in the art at the time of the invention to modify Leitch, such that micro/pico cells are used for offices, to provide means for the system to find optimal links from pico/macro/umbrella BTS's in the area.

As per claims 2 and 14, Leitch teaches claim 1/13 wherein the macro cell and the micro/pico cell network for office use are controlled from the same location (figure 1, #102 and/or an MSC which is known in the art would connect to both).

As per claims 3 and 15, Leitch teaches claim 1/14 wherin the macro network and the micro/pico cell network for office use are synchronized with each other (figure 1, #102 and/or an MSC or BSC which are known in the art would connect to both).

As per **claims 4 and 16**, Leitch teaches 1/13 wherein a BCCH is used as the control channel of the macro cell network (BCCH's are known in the art as being used as control channels). The examiner interprets Leitch's teaching of monitoring a set of N channels (abstract) as being either voice, pilot or control channels.

Art Unit: 2683

As per claims 5 and 17, Leitch teaches 1/13 but is silent on wherein the office base stations are used as the BTS's of the micro/pico cellular radio network.

Ostrup teaches both macro, micro and pico cells (C2, L51-65). Hence, the examiner interprets either a micro or pico cell as being used as a BTS for the office.

It would have been obvious to one skilled in the art at the time of the invention to modify Leitch, such that the system supports office use, to provide optimal cell coverage in a pico-cell/office area.

As per claims 6 and 18, Leitch teaches claim 1/13 wherein mobile phones are used as terminals (C2, L40-45).

As per claims 7 and 19, Leitch teaches claim 1/13 wherein a threshold value that the connection quality must meet is used in evaluating the quality of the connection (abstract teaches selecting the strongest signal – one skilled would also provide for a threshold value as well).

As per **claims 8 and 20**, Leitch teaches claim 7/19 in that a BER is used as the threshold value (C4, L12-17).

As per claims 9 and 21, Leitch teaches claim 1/13 but is silent on wherein the terminal controller of the <u>micro/pcio</u> cell network, controlling the operation of the terminals, is controlled through a data network connected to the <u>micro/pico</u> cell network.

Ostrup teaches connectivity from the MSC/BSC (figure 2, #110) to all base stations (#114-121) via landlines as shown in the diagram. Also, figure 3 shows RBS to ETC/GS (#208 and #206) via landline (#214) as is known in the art.

It would have been obvious to one skilled in the art at the time of the invention to modify Leitch, such that office controller is connected via data network to cell network for office use, to provide means of controlling the office controller/BTS from public BSC/MSC systems.

Art Unit: 2683

As per claims 12 and 24, Leitch teaches claim 1/13 wherein the physical channel of a macro cell is a time-slot of a radio frequency and the logical control channel of the macro cell is directed to be transmitted at it's time through each time-slot of said frequency (abstract teaches narrowband cellular communication system which reads on TDMA systems that support time-slot communication).

<u>Claims 10-11 and 22-23</u> rejected under 35 U.S.C. 103(a) as being unpatentable over Leitch/Ostrup and further in view of Plaschke et al. US 6.022,622.

As per claims 10 and 22, Leitch teaches claim 1/13 but is silent on wherein the channel configuration of the <u>micro/pico</u> cell network for office use is performed when <u>configuring</u> the <u>micro/pico</u> cell network.

Leitch does teach a channel configuration/selection (abstract).

Plaschke teaches dynamic channel allocation (title and abstract).

It would have been obvious to one skilled in the art at the time of the invention to modify Leitch, such that channel configuration(s) are performed when building the cell network for office use, to provide means for the system to dynamically configure optimal channels for use by the mobiles.

As per claims 11 and 23, Leitch teaches claim 1/13 but is silent on wherein the channel configuration of the <u>micro/pico</u> cellular network is performed at regular intervals.

Leitch does teach channel configuration/selection when needing a voice channel (abstract).

Plaschke teaches dynamic channel allocation that is performed during calls (abstract) which is interpreted as being during regular intervals.

It would have been obvious to one skilled in the art at the time of the invention to modify Leitch, such that channel configurations are performed at regular intervals, to provide means for dynamically adjusting the system to find and use optimal RF channels.

Art Unit: 2683

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen M. D'Agosta whose telephone number is 703-306-5426. The examiner can normally be reached on M-F, 8am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bill Trost can be reached on 703-308-5318. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen D'Agosta 5-27-04

0-21-01

WILLIAM TROST SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600